

ES Compleat NOAT 50/50 Premix

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022
Issue date: 2018-09-21 Revision date: 2025-09-02 Supersedes: 2022-02-25 Version: C

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Trade name : ES Compleat NOAT 50/50 Premix
Product code : CC36161 USJ (1 Gal)
CC36161 USJ X (1 Gal)
CC36161 USD (55 Gal Drum)
CC36161 UST (275 Gal Tote)
CC36161 US (Bulk)

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Premix Antifreeze

1.4. Supplier's details

Manufacturer

Fleetguard
1200 Fleetguard Road
Cookeville, TN, 38506
USA
T 1-800-22-FILTER (1-800-223-4583)

Distributor

Fleetguard
Canadian Distributor
11751 181 St.
Edmonton, AB, T5S 2K5
Canada
T 1-780-455-2151

1.5. Emergency phone number

Emergency number : Chemtrec 1-800-424-9300 (Within Continental U.S.)
Chemtrec 703-527-3887 (Outside the U.S.)

SECTION 2 Hazard identification

2.1. Classification of the substance or mixture

GHS classification

Acute toxicity (oral), Category 4
Carcinogenicity, Category 2
Reproductive toxicity, Category 2
Specific target organ toxicity, Single exposure, Category 1

2.2. Label elements

GHS labelling

Hazard pictograms (GHS) :



Signal word (GHS) :

Danger

Hazard statements (GHS) :

Harmful if swallowed
Suspected of causing cancer.
Suspected of damaging fertility or the unborn child.
Causes damage to organs (central nervous system, kidneys) (oral).

ES Compleat NOAT 50/50 Premix

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Precautionary statements (GHS)

: Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe vapours.
Wash hands, forearms and face thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear protective gloves, protective clothing, eye and face protection.
If exposed or concerned: Call a poison center or doctor.
If swallowed: Call a poison center or doctor if you feel unwell.
Rinse mouth.
Store locked up.
Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

No additional information available

2.5. Unknown acute toxicity

Not applicable

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	Conc. (% w/w)
Ethylene glycol	Ethylene glycol 1,2-Dihydroxyethane / Ethane-1,2-diol / 1,2-Ethanediol / Ethanediol / GLYCOL / Glycol / Monoethylene glycol	CAS-No.: 107-21-1	30 – 60
Sodium benzoate	Sodium benzoate SODIUM BENZOATE / Benzoic acid, sodium salt (1:1) / Benzoic acid, sodium salt	CAS-No.: 532-32-1	1 – 5
Tolyltriazole, sodium salt	Tolyltriazole, sodium salt Benzotriazole (1H), methyl, sodium salt / 1H-Benzotriazole, 4(or 5)-methyl-, sodium salt / Methyl-1H-benzotriazole, sodium salt / Sodium 4(or 5)-methyl-1H-benzotriazolide / Sodium 4-(or 5)-methyl-benzotriazole / 1H-Benzotriazole, 6(or 7)-methyl-, sodium salt (1:1) / Sodium tolyltriazole / Tolyltriazole sodium / sodium tolyltriazole	CAS-No.: 64665-57-2	0.1 - 1

ES Compleat NOAT 50/50 Premix

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Name	Chemical name / Synonyms	Product identifier	Conc. (% w/w)
Sodium nitrite	Sodium nitrite sodium nitrite / SODIUM NITRITE / Nitrous acid, sodium salt (1:1) / Nitrous acid, sodium salt / Diazotizing salts	CAS-No.: 7632-00-0	0.1 - 1
Sodium molybdate	Sodium molybdate Disodium molybdate / Molybdate (MoO4 ²⁻), disodium, (T-4)- / Molybdic acid (H ₂ MoO ₄), disodium salt / Molybdic acid, disodium salt / Molybdate (MoO4 ²⁻), sodium (1:2), (T-4)- / Molybdate, disodium, (T-4)- / Sodium molybdate(VI) / Sodium molybdate, anhydrous / SODIUM MOLYBDATE / sodium molybdate	CAS-No.: 7631-95-0	0.1 - 1

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4 First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	: IF exposed or concerned: Call a POISON CENTER/doctor.
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: If skin irritation occurs: Wash skin with plenty of water. Obtain medical attention if irritation persists.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Call a POISON CENTER/doctor if you feel unwell.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: Causes mild skin irritation. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/effects after ingestion	: Harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea. Damage to central nervous system. Damage to kidneys.
Chronic symptoms	: Suspected of damaging fertility or the unborn child. Suspected of causing cancer.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
-----------------------------------	--

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use water jet.

ES Compleat NOAT 50/50 Premix

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

5.2. Specific hazards arising from the chemical

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

For non-emergency personnel

No additional information available

For emergency responders

Environmental precautions : Prevent entry to sewers and public waters.

6.2. Methods and materials for containment and cleaning up

For containment : Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.

Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Do not breathe vapours. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Use only outdoors or in a well-ventilated area.

Hygiene measures : Wash contaminated clothing before reuse. Always wash hands after handling the product.

7.2. Conditions for safe storage, including incompatibilities

Storage conditions : Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well-ventilated place. Store locked up.

Specific end uses : Not available.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Ethylene glycol (107-21-1)

USA - ACGIH - Occupational Exposure Limits

Local name	Ethylene glycol
------------	-----------------

ES Compleat NOAT 50/50 Premix

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Ethylene glycol (107-21-1)	
ACGIH® TLV® TWA	25 ppm (vapor fraction)
ACGIH® TLV® STEL	10 mg/m ³ (inhalable particulate matter, aerosol only)
ACGIH® TLV® STEL	50 ppm (vapor fraction)
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
ACGIH chemical category	Not Classifiable as a Human Carcinogen
Regulatory reference	ACGIH 2024

Sodium benzoate (532-32-1)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH® TLV® TWA	2.5 mg/m ³ (inhalable particulate matter)
ACGIH chemical category	Not Suspected as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment

Hand protection:
Wear suitable gloves. Consult glove manufacturer's product information on material suitability and material thickness.
Eye protection:
Safety glasses or goggles are recommended when using product.
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. SDSs cannot provide detailed and complete respiratory protection guidelines. Selection of respiratory protection must be done by a qualified person who has assessed the work environment.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear.
Colour	: Red
Odour	: No data available
Odour threshold	: No data available
pH	: 8.2 – 9
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 108.5 °C (227 °F)
Flash point	: No data available

ES Compleat NOAT 50/50 Premix

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Flammability (solid, gas)	: Not flammable.
Vapour pressure	: No data available
Relative vapour density at 20°C/ 68 °F	: No data available
Relative density	: 1.079
Solubility	: No data available
Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Explosive limits	: No data available
Particle characteristics	: No data available

Ethylene glycol	
Boiling point	197.3 °C (at 1013 hPa)
Flash point	115 °C (open cup)
Auto-ignition temperature	398 °C
Vapour pressure	0.1 hPa (at 20 °C)
Particle characteristics	No data available

Sodium benzoate	
Flash point	> 100 °C (closed cup)
Particle characteristics	No data available

Tolyltriazole, sodium salt	
Vapour pressure	(>0 - <0.069 Pa - at 30 °C)
Particle characteristics	No data available

Sodium nitrite	
Boiling point	320 °C (with decomposition)
Particle characteristics	No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat. Incompatible materials.

ES Compleat NOAT 50/50 Premix

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified.
Acute toxicity (inhalation) : Not classified.

ES Compleat NOAT 50/50 Premix

ATE US (oral)	978.148 mg/kg bodyweight
---------------	--------------------------

Ethylene glycol (107-21-1)

LD50 oral rat	7712 mg/kg bodyweight Animal: rat
LD50 dermal rabbit	10600 mg/kg (Source: Health Canada)
LD50 dermal	9530 mg/kg
LC50 inhalation rat	> 2.5 mg/l (Exposure time: 6 h Source: ECHA_API)
LD50, human, oral	1570 mg/kg (ingestion of ethylene glycol is more hazardous to humans than animals (Source: Health Canada))

Sodium benzoate (532-32-1)

LD50 oral rat	4070 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit
LC50 inhalation rat	> 12.2 mg/l air Animal: rat

Tolyltriazole, sodium salt (64665-57-2)

LD50 oral rat	1980 mg/kg (Source: EPA_HP V)
LD50 dermal rabbit	> 2000 mg/kg (Source: EPA_HP V)

Sodium nitrite (7632-00-0)

LD50 oral rat	85 mg/kg (Source: JAPAN_GHS)
LC50 inhalation rat	5.5 mg/l/4h

Sodium molybdate (7631-95-0)

LD50 oral rat	4000 mg/kg (Source: NZ_CCID)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 inhalation rat	> 5.84 mg/l/4h

Skin corrosion/irritation : Not classified.
pH: 8.2 – 9

Sodium benzoate (532-32-1)

pH	≈ 8 Remarks on result: 'other:'
----	---------------------------------

ES Compleat NOAT 50/50 Premix

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Serious eye damage/irritation : Not classified.
pH: 8.2 – 9

Sodium benzoate (532-32-1)	
pH	≈ 8 Remarks on result: 'other:'

Respiratory or skin sensitisation : Not classified.
Germ cell mutagenicity : Not classified.

Carcinogenicity : Suspected of causing cancer.

Ethylene glycol (107-21-1)	
NOAEL (chronic, oral, animal/male, 2 years)	1500 mg/kg bodyweight Animal: mouse, Animal sex: male, Remarks on results: other:Effect type: carcinogenicity (migrated information)

Reproductive toxicity : Suspected of damaging fertility or the unborn child.
STOT-single exposure : Causes damage to organs (central nervous system, kidneys) (oral).

Ethylene glycol (107-21-1)	
STOT-single exposure	Causes damage to organs (central nervous system, kidneys) (oral).

STOT-repeated exposure : Not classified.

Sodium benzoate (532-32-1)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat
NOAEL (dermal, rat/rabbit, 90 days)	> 2500 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPP 82-2 (Repeated Dose Dermal Toxicity -21/28 Days)
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	≤ 0.025 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)

Tolytriazole, sodium salt (64665-57-2)	
NOAEL (oral, rat, 90 days)	≈ 150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents)

Sodium nitrite (7632-00-0)	
NOAEL (subchronic, oral, animal/male, 90 days)	220 mg/kg bodyweight Animal: mouse, Animal sex: male
NOAEL (subchronic, oral, animal/female, 90 days)	165 mg/kg bodyweight Animal: mouse, Animal sex: female

Sodium molybdate (7631-95-0)	
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	> 0.1 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)

Aspiration hazard : Not classified.

ES Compleat NOAT 50/50 Premix	
Viscosity, kinematic	No data available

Ethylene glycol (107-21-1)	
Viscosity, kinematic	14.465 mm ² /s

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.
Symptoms/effects after skin contact : Causes mild skin irritation. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/effects after ingestion : Harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea. Damage to central nervous system. Damage to kidneys.

ES Compleat NOAT 50/50 Premix

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Chronic symptoms : Suspected of damaging fertility or the unborn child. Suspected of causing cancer.
Other information : Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12 Ecological information

12.1. Ecotoxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.
Hazardous to the aquatic environment, short-term (acute) : Not classified.
Hazardous to the aquatic environment, long-term (chronic) : Not classified.

Ethylene glycol (107-21-1)	
LC50 - Fish [1]	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID)
EC50 - Crustacea [1]	46300 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 - Fish [2]	14 – 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)
EC50 96h - Algae [1]	6500 – 13000 mg/l (Species: Pseudokirchneriella subcapitata)
EC50 96h - Algae [2]	6500 – 13000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC (chronic)	≥ 1000 mg/l Test organisms (species): Americamysis bahia (previous name: Mysidopsis bahia) Duration: '23 d'
NOEC chronic crustacea	4.2 mg/l
Sodium benzoate (532-32-1)	
LC50 - Fish [1]	484 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	< 650 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 - Fish [2]	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
EC50 72h - Algae [1]	> 30.5 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC chronic fish	10 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '144 h'
Tolytriazole, sodium salt (64665-57-2)	
LC50 - Fish [1]	180 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	15.8 mg/l Test organisms (species): other aquatic crustacea:Daphnia galeata
EC50 - Other aquatic organisms [1]	15.8 mg/l Test organisms (species): other aquatic crustacea:
LC50 - Fish [2]	55 mg/l Test organisms (species): Cyprinodon variegatus
EC50 - Crustacea [2]	8.58 mg/l Test organisms (species): other aquatic crustacea:Daphnia galeata
EC50 - Other aquatic organisms [2]	8.58 mg/l Test organisms (species): other aquatic crustacea:
LOEC (chronic)	37.6 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	18.4 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
Sodium nitrite (7632-00-0)	
LC50 - Fish [1]	0.19 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)
EC50 - Crustacea [1]	15.4 mg/l Test organisms (species): Daphnia magna

ES Compleat NOAT 50/50 Premix

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Sodium nitrite (7632-00-0)	
LC50 - Fish [2]	0.092 – 0.13 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodemus subspicatus (previous name: Scenedesmus subspicatus)

12.2. Persistence and degradability

ES Compleat NOAT 50/50 Premix	
Persistence and degradability	Not established.
Ethylene glycol (107-21-1)	
Persistence and degradability	Rapidly degradable
Sodium benzoate (532-32-1)	
Persistence and degradability	Not rapidly degradable
Tolyltriazole, sodium salt (64665-57-2)	
Persistence and degradability	Rapidly degradable
Sodium nitrite (7632-00-0)	
Persistence and degradability	Rapidly degradable
Sodium molybdate (7631-95-0)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

ES Compleat NOAT 50/50 Premix	
Bioaccumulative potential	Not established.
Ethylene glycol (107-21-1)	
Partition coefficient n-octanol/water	-1.36
Sodium benzoate (532-32-1)	
BCF - Fish [1]	(no bioaccumulation)
Partition coefficient n-octanol/water	-2.13
Tolyltriazole, sodium salt (64665-57-2)	
Partition coefficient n-octanol/water	(1.083 - <=1.091 - at 25 °C (at pH >5-<6)
Sodium nitrite (7632-00-0)	
Partition coefficient n-octanol/water	-3.7 (at 25 °C)

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone : Not classified.
Fluorinated greenhouse gases : No

ES Compleat NOAT 50/50 Premix

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Other information : No other effects known.

SECTION 13 Disposal considerations

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. The generation of waste should be avoided or minimised wherever possible.

SECTION 14 Transport information

In accordance with DOT / TDG

14.1. UN Number

Not regulated for transport

14.2. UN Proper Shipping Name

Proper Shipping Name (DOT) : Not regulated

Proper Shipping Name (TDG) : Not regulated

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not regulated

TDG

Transport hazard class(es) (TDG) : Not regulated

14.4. Packing group

Packing group (DOT) : Not regulated

Packing group (TDG) : Not regulated

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT

Not regulated

TDG

Not regulated

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Contains chemical(s) subject to TSCA 12b export notification if product is shipped outside the U.S

Sodium nitrite

CAS-No. 7632-00-0

ES Compleat NOAT 50/50 Premix

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

15.2. International regulations

No additional information available

15.3. State regulations



WARNING:

This product can expose you to Ethylene glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16 Other Information

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Revision date : 2025-09-02
Issue date : 2018-09-21
Other information : None.
Prepared by: : Nexreg Compliance, Inc.
Prepared for: : Fleetguard

Indication of changes:		
Section	Changed item	Comments
2	GHS classification	02/25/2022
	SDS update	02/25/2022
2	GHS classification	09/09/2025
	SDS update	09/09/2025

SDS HazCom 2024 - WHMIS 2022 (Nexreg) 2025

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.