

# ES Compleat NOAT Concentrate

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022  
Issue date: 2022-02-25 Revision date: 2025-09-09 Version: B

### SECTION 1 Identification

#### 1.1. Product identifier

Product form : Mixture  
Trade name : ES Compleat NOAT Concentrate  
Product code : CC36166 USJ (1 Gal)  
CC36166 USJ X (1 Gal)  
CC36166 USD (55 Gal)  
CC36166 UST (275 Gal)  
CC36166 US (Bulk)

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Concentrate Antifreeze

#### 1.4. Supplier's details

Supplier	Distributor
Fleetguard	Fleetguard
1200 Fleetguard Road	Canadian Distributor
Cookeville, TN, 38506	11751 181 St.
USA	Edmonton, AB, T5S 2K5
T 1-800-22-FILTER (1-800-223-4583)	Canada
	T 1-780-455-2151

#### 1.5. Emergency phone number

Emergency number : Chemtrec 1-800-424-9300 (Within Continental U.S.)  
Chemtrec 703-527-3887 (Outside the U.S.)

### SECTION 2 Hazard identification

#### 2.1. Classification of the substance or mixture

##### GHS classification

Acute toxicity (oral), Category 4  
Carcinogenicity, Category 2  
Reproductive toxicity, Category 2  
Specific target organ toxicity, Single exposure, Category 1

#### 2.2. Label elements

##### GHS labelling

Hazard pictograms (GHS) :



Signal word (GHS) : Danger  
Hazard statements (GHS) : Harmful if swallowed  
Suspected of causing cancer.  
Suspected of damaging fertility or the unborn child.  
Causes damage to organs (central nervous system, kidneys) (oral).

# ES Compleat NOAT Concentrate

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

### Precautionary statements (GHS)

: Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Do not breathe dust, fume, gas, mist, vapours, spray.  
Wash hands, forearms and face thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Wear protective gloves, protective clothing, eye protection, face protection.  
If exposed or concerned: Call a poison center or doctor.  
If swallowed: Call a poison center or doctor if you feel unwell.  
Rinse mouth.  
Store locked up.  
Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

### 2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

### 2.4. Hazards not otherwise classified

No additional information available

### 2.5. Unknown acute toxicity

Not applicable

## SECTION 3 Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	Conc. (% w/w)
Ethylene glycol	Ethylene glycol 1,2-Dihydroxyethane / Ethane-1,2-diol / 1,2-Ethanediol / Ethanediol / GLYCOL / Glycol / Monoethylene glycol	CAS-No.: 107-21-1	80 - 100
Sodium benzoate	Sodium benzoate SODIUM BENZOATE / Benzoic acid, sodium salt (1:1) / Benzoic acid, sodium salt	CAS-No.: 532-32-1	1 – 5
Tolyltriazole, sodium salt	Tolyltriazole, sodium salt Benzotriazole (1H), methyl, sodium salt / 1H-Benzotriazole, 4(or 5)-methyl-, sodium salt / Methyl-1H-benzotriazole, sodium salt / Sodium 4(or 5)-methyl-1H-benzotriazolide / Sodium 4-(or 5)-methyl-benzotriazole / 1H-Benzotriazole, 6(or 7)-methyl-, sodium salt (1:1) / Sodium tolyltriazole / Tolyltriazole sodium / sodium tolyltriazole	CAS-No.: 64665-57-2	0.1 - 1

# ES Compleat NOAT Concentrate

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Name	Chemical name / Synonyms	Product identifier	Conc. (% w/w)
Sodium nitrite	Sodium nitrite sodium nitrite / SODIUM NITRITE / Nitrous acid, sodium salt (1:1) / Nitrous acid, sodium salt / Diazotizing salts	CAS-No.: 7632-00-0	0.1 - 1
Sodium molybdate	Sodium molybdate Disodium molybdate / Molybdate (MoO4 <sup>2-</sup> ), disodium, (T-4)- / Molybdic acid (H <sub>2</sub> MoO <sub>4</sub> ), disodium salt / Molybdic acid, disodium salt / Molybdate (MoO4 <sup>2-</sup> ), sodium (1:2), (T-4)- / Molybdate, disodium, (T-4)- / Sodium molybdate(VI) / Sodium molybdate, anhydrous / SODIUM MOLYBDATE / sodium molybdate	CAS-No.: 7631-95-0	0.1 - 1

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

## SECTION 4 First-aid measures

### 4.1. Description of necessary first-aid measures

First-aid measures general	: IF exposed or concerned: Call a POISON CENTER/doctor.
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: If skin irritation occurs: Wash skin with plenty of water. Obtain medical attention if irritation persists.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: IF SWALLOWED: Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a POISON CENTER/doctor if you feel unwell.

### 4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: May cause skin irritation. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/effects after ingestion	: Harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea. Damage to central nervous system. Damage to kidneys.
Chronic symptoms	: Suspected of causing cancer. Suspected of damaging fertility or the unborn child.

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
-----------------------------------	--

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use water jet.

# ES Compleat NOAT Concentrate

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

### 5.2. Specific hazards arising from the chemical

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon. Toxic and corrosive vapours.

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

## SECTION 6 Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

#### For non-emergency personnel

No additional information available

#### For emergency responders

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

### 6.2. Methods and materials for containment and cleaning up

For containment : Contain spill, then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

For further information refer to section 8: "Exposure controls/personal protection"

## SECTION 7 Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe vapours. Do not get in eyes, on skin, or on clothing. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Use only outdoors or in a well-ventilated area.

Hygiene measures : Wash contaminated clothing before reuse. Wash hands, forearms and face thoroughly after handling.

### 7.2. Conditions for safe storage, including incompatibilities

Storage conditions : Keep out of the reach of children. Keep container tightly closed. Store in well ventilated area. Store locked up.

Specific end uses : Not available.

## SECTION 8 Exposure controls/personal protection

### 8.1. Control parameters

# ES Compleat NOAT Concentrate

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Ethylene glycol (107-21-1)	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Ethylene glycol
ACGIH® TLV® TWA	25 ppm (vapor fraction)
ACGIH® TLV® STEL	10 mg/m <sup>3</sup> (inhalable particulate matter, aerosol only)
ACGIH® TLV® STEL	50 ppm (vapor fraction)
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
ACGIH chemical category	Not Classifiable as a Human Carcinogen
Regulatory reference	ACGIH 2024
Sodium benzoate (532-32-1)	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH® TLV® TWA	2.5 mg/m <sup>3</sup> (inhalable particulate matter)
ACGIH chemical category	Not Suspected as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures, such as personal protective equipment

<b>Hand protection:</b>
Wear suitable gloves. Consult glove manufacturer's product information on material suitability and material thickness.
<b>Eye protection:</b>
Safety glasses or goggles are recommended when using product.
<b>Skin and body protection:</b>
Wear suitable protective clothing
<b>Respiratory protection:</b>
In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. SDSs cannot provide detailed and complete respiratory protection guidelines. Selection of respiratory protection must be done by a qualified person who has assessed the work environment.

#### Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

## SECTION 9 Physical and chemical properties

### 9.1. Basic physical and chemical properties

Physical state : Liquid  
Appearance : Clear.  
Colour : Red  
Odour : No data available  
Odour threshold : No data available  
pH : 8.2 – 9  
Melting point : No data available

# ES Compleat NOAT Concentrate

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Freezing point	: No data available
Boiling point	: 170 °C / 338 °F
Flash point	: No data available
Flammability (solid, gas)	: Not flammable.
Vapour pressure	: No data available
Relative vapour density at 20°C/ 68 °F	: No data available
Relative density	: 1.126
Solubility	: No data available
Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Explosive limits	: No data available
Particle characteristics	: No data available

### Ethylene glycol

Boiling point	197.3 °C (at 1013 hPa)
Flash point	115 °C (open cup)
Auto-ignition temperature	398 °C
Vapour pressure	0.1 hPa (at 20 °C)
Particle characteristics	No data available

### Sodium benzoate

Flash point	> 100 °C (closed cup)
Particle characteristics	No data available

### Tolyltriazole, sodium salt

Vapour pressure	(>0 - <0.069 Pa - at 30 °C)
Particle characteristics	No data available

### Sodium nitrite

Boiling point	320 °C (with decomposition)
Particle characteristics	No data available

## 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

## SECTION 10 Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

# ES Compleat NOAT Concentrate

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

### 10.4. Conditions to avoid

Heat. Incompatible materials.

### 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Products of combustion may include, and are not limited to: oxides of carbon. Toxic and corrosive vapours. May include, and are not limited to: oxides of carbon.

## SECTION 11 Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.  
Acute toxicity (dermal) : Not classified.  
Acute toxicity (inhalation) : Not classified.

#### ES Compleat NOAT Concentrate

ATE US (oral)	532.614 mg/kg bodyweight
---------------	--------------------------

#### Ethylene glycol (107-21-1)

LD50 oral rat	7712 mg/kg bodyweight Animal: rat
LD50 dermal rabbit	10600 mg/kg (Source: Health Canada)
LD50 dermal	9530 mg/kg
LC50 inhalation rat	> 2.5 mg/l (Exposure time: 6 h Source: ECHA_API)
LD50, human, oral	1570 mg/kg (ingestion of ethylene glycol is more hazardous to humans than animals (Source: Health Canada))

#### Sodium benzoate (532-32-1)

LD50 oral rat	4070 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit
LC50 inhalation rat	> 12.2 mg/l air Animal: rat

#### Tolytriazole, sodium salt (64665-57-2)

LD50 oral rat	1980 mg/kg (Source: EPA_HP V)
LD50 dermal rabbit	> 2000 mg/kg (Source: EPA_HP V)

#### Sodium nitrite (7632-00-0)

LD50 oral rat	85 mg/kg (Source: JAPAN_GHS)
LC50 inhalation rat	5.5 mg/l/4h

#### Sodium molybdate (7631-95-0)

LD50 oral rat	4000 mg/kg (Source: NZ_CCID)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 inhalation rat	> 5.84 mg/l/4h

Skin corrosion/irritation : Not classified.  
pH: 8.2 – 9

# ES Compleat NOAT Concentrate

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Sodium benzoate (532-32-1)	
pH	≈ 8 Remarks on result: 'other:'

Serious eye damage/irritation : Not classified.  
pH: 8.2 – 9

Sodium benzoate (532-32-1)	
pH	≈ 8 Remarks on result: 'other:'

Respiratory or skin sensitisation : Not classified.  
Germ cell mutagenicity : Not classified.

Carcinogenicity : Suspected of causing cancer.

Ethylene glycol (107-21-1)	
NOAEL (chronic, oral, animal/male, 2 years)	1500 mg/kg bodyweight Animal: mouse, Animal sex: male, Remarks on results: other:Effect type: carcinogenicity (migrated information)

Reproductive toxicity : Suspected of damaging fertility or the unborn child.  
STOT-single exposure : Causes damage to organs (central nervous system, kidneys) (oral).

Ethylene glycol (107-21-1)	
STOT-single exposure	Causes damage to organs (central nervous system, kidneys) (oral).

STOT-repeated exposure : Not classified.

Sodium benzoate (532-32-1)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat
NOAEL (dermal, rat/rabbit, 90 days)	> 2500 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPP 82-2 (Repeated Dose Dermal Toxicity -21/28 Days)
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	≤ 0.025 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)

Tolytriazole, sodium salt (64665-57-2)	
NOAEL (oral, rat, 90 days)	≈ 150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents)

Sodium nitrite (7632-00-0)	
NOAEL (subchronic, oral, animal/male, 90 days)	220 mg/kg bodyweight Animal: mouse, Animal sex: male
NOAEL (subchronic, oral, animal/female, 90 days)	165 mg/kg bodyweight Animal: mouse, Animal sex: female

Sodium molybdate (7631-95-0)	
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	> 0.1 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)

Aspiration hazard : Not classified.

ES Compleat NOAT Concentrate	
Viscosity, kinematic	No data available

Ethylene glycol (107-21-1)	
Viscosity, kinematic	14.465 mm <sup>2</sup> /s

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.  
Symptoms/effects after skin contact : May cause skin irritation. Repeated exposure may cause skin dryness or cracking.

# ES Compleat NOAT Concentrate

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Symptoms/effects after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/effects after ingestion	: Harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea. Damage to central nervous system. Damage to kidneys.
Chronic symptoms	: Suspected of causing cancer. Suspected of damaging fertility or the unborn child.
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.

## SECTION 12 Ecological information

### 12.1. Ecotoxicity

Ecology - general	: May cause long-term adverse effects in the aquatic environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified.
Hazardous to the aquatic environment, long-term (chronic)	: Not classified.

Ethylene glycol (107-21-1)	
LC50 - Fish [1]	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID)
EC50 - Crustacea [1]	46300 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 - Fish [2]	14 – 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)
EC50 96h - Algae [1]	6500 – 13000 mg/l (Species: Pseudokirchneriella subcapitata)
EC50 96h - Algae [2]	6500 – 13000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC (chronic)	≥ 1000 mg/l Test organisms (species): Americamysis bahia (previous name: Mysidopsis bahia) Duration: '23 d'
NOEC chronic crustacea	4.2 mg/l

Sodium benzoate (532-32-1)	
LC50 - Fish [1]	484 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	< 650 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 - Fish [2]	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
EC50 72h - Algae [1]	> 30.5 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC chronic fish	10 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '144 h'

Tolytriazole, sodium salt (64665-57-2)	
LC50 - Fish [1]	180 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	15.8 mg/l Test organisms (species): other aquatic crustacea:Daphnia galeata
EC50 - Other aquatic organisms [1]	15.8 mg/l Test organisms (species): other aquatic crustacea:
LC50 - Fish [2]	55 mg/l Test organisms (species): Cyprinodon variegatus
EC50 - Crustacea [2]	8.58 mg/l Test organisms (species): other aquatic crustacea:Daphnia galeata
EC50 - Other aquatic organisms [2]	8.58 mg/l Test organisms (species): other aquatic crustacea:
LOEC (chronic)	37.6 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	18.4 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

# ES Compleat NOAT Concentrate

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Sodium nitrite (7632-00-0)	
LC50 - Fish [1]	0.19 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)
EC50 - Crustacea [1]	15.4 mg/l Test organisms (species): Daphnia magna
LC50 - Fish [2]	0.092 – 0.13 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

### 12.2. Persistence and degradability

ES Compleat NOAT Concentrate	
Persistence and degradability	Not established.
Ethylene glycol (107-21-1)	
Persistence and degradability	Rapidly degradable
Sodium benzoate (532-32-1)	
Persistence and degradability	Not rapidly degradable
Tolyltriazole, sodium salt (64665-57-2)	
Persistence and degradability	Rapidly degradable
Sodium nitrite (7632-00-0)	
Persistence and degradability	Rapidly degradable
Sodium molybdate (7631-95-0)	
Persistence and degradability	Rapidly degradable

### 12.3. Bioaccumulative potential

ES Compleat NOAT Concentrate	
Bioaccumulative potential	Not established.
Ethylene glycol (107-21-1)	
Partition coefficient n-octanol/water	-1.36
Sodium benzoate (532-32-1)	
BCF - Fish [1]	(no bioaccumulation)
Partition coefficient n-octanol/water	-2.13
Tolyltriazole, sodium salt (64665-57-2)	
Partition coefficient n-octanol/water	(1.083 - <=1.091 - at 25 °C (at pH >5-<6)
Sodium nitrite (7632-00-0)	
Partition coefficient n-octanol/water	-3.7 (at 25 °C)

### 12.4. Mobility in soil

No additional information available

# ES Compleat NOAT Concentrate

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

### 12.5. Other adverse effects

Ozone : Not classified.  
Fluorinated greenhouse gases : No  
Other information : No other effects known.

### SECTION 13 Disposal considerations

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. The generation of waste should be avoided or minimised wherever possible.

### SECTION 14 Transport information

In accordance with DOT / TDG

#### 14.1. UN Number

UN-No. (DOT) : Not regulated  
UN-No. (TDG) : Not regulated

#### 14.2. UN Proper Shipping Name

Proper Shipping Name (DOT) : Not regulated  
Proper Shipping Name (TDG) : Not regulated

#### 14.3. Transport hazard class(es)

**DOT**  
Transport hazard class(es) (DOT) : Not regulated

**TDG**  
Transport hazard class(es) (TDG) : Not regulated

#### 14.4. Packing group

Packing group (DOT) : Not regulated  
Packing group (TDG) : Not regulated

#### 14.5. Environmental hazards

Other information : No supplementary information available.

#### 14.6. Transport in bulk

Not applicable

#### 14.7. Special precautions for user

**DOT**  
Not regulated

**TDG**  
Not regulated

# ES Compleat NOAT Concentrate

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

### SECTION 15 Regulatory information

#### 15.1. Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Contains chemical(s) subject to TSCA 12b export notification if product is shipped outside the U.S

Sodium nitrite	CAS-No. 7632-00-0
----------------	-------------------

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

#### 15.2. International regulations

No additional information available

#### 15.3. State regulations



#### WARNING:

This product can expose you to Ethylene glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### SECTION 16 Other Information

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Revision date	: 2025-09-09
Issue date	: 2022-02-25
Other information	: None.
Prepared by	: Nexreg Compliance, Inc
Prepared for	: Fleetguard

#### Indication of changes:

Section	Changed item	Comments
2	GHS classification	09/09/2025
	SDS update	09/09/2025

SDS HazCom 2024 - WHMIS 2022 (Nexreg) 2025

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.